PAIN 142 (2009) 286–288

PAIN

www.elsevier.com/locate/pain

Author Index to Volume 142 (2009)

Amaya, F., Samad, T.A., Barrett, L., Broom, D.C., Woolf, C.J., Periganglionic inflammation elicits a distally radiating pain hypersensitivity by promoting COX-2 induction in the dorsal root ganglion, **140** 59
Angst, M.S., Chu, L.F., Tingle, M.S., Shafer, S.L., Clark, J.D., Drover, D.R., No evidence for the development of acute tolerance to analgesic, respiratory depressant and sedative opioid effects in humans, **140** 17
Aoki, Y., see Maeda, Y., **140** 127
Arendt-Nielsen, L., Falla, D., Motor control adjustments in musculoskeletal pain and the implications for pain recurrence, **140** 171
Artola, A., see Lapirot, O., **140** 245
Asmundson, G.J.G., see Khatibi, A., **140** 42

Bakhle, Y.S., see Rezende, R.M., **140** 94
Banfor, P.N., see Honore, P., **140** 27
Barbano, R.L., see Dworkin, R.H., **140** 209
Barrett, L., see Amaya, F., **140** 59
Bautrant, E., see Mollo, M., **140** 159
Bayburt, E., see Honore, P., **140** 27
Bennett, G.J., see Dworkin, R.H., **140** 209
Benoit, C., see Butler, S.F., **140** 169
Berber, E., see Dworkin, R.H., **140** 209
Bergström, G., see Jensen, I.B., **140** 202
Betts, R.F., see Dworkin, R.H., **140** 209
Bigal, M.E., Lipton, R.B., Excessive opioid use and the development of chronic migraine, **140** 179
Birklein, F., Kingery, W.S., Complex regional pain syndrome: A loss of inhibition?, **140** 177
Bodin, L., see Jensen, I.B., **140** 202
Boyer, R., see Mollo, M., **140** 159
Brähler, E., see Mewes, R., **140** 36
Brain, S.D., see Russell, F.A., **140** 264
Broom, D.C., see Amaya, F., **140** 59
Budman, S.H., see Butler, S.F., **140** 169
Busch, H., see Jensen, I.B., **140** 202
Butler, S.F., Budman, S.H., Fernandez, K.C., Houle, B., Benoit, C., Katz, N., Jamison, R.N., Corrigendum to "Development and validation of the current opioid misuse measure" [Pain 130 (2007) 144–56], **140** 169

Camerino, D.C., see Desaphy, J.-F., **140** 225
Carrive, P., see Le Bars, D., **140** 165
Cetas, J.S., see Martenson, M.E., **140** 236
Chandran, P., see Honore, P., **140** 27
Chaplan, S.R., see Wickenden, A.D., **140** 5
Chebbi, R., see Lapirot, O., **140** 245
Chen, G.-D., see Peng, H.-Y., **140** 75
Chiu, C.-H., see Peng, H.-Y., **140** 75
Christensen, R., see Kupers, R., **140** 89
Chu, L.F., see Angst, M.S., **140** 17
Clark, J.D., see Angst, M.S., **140** 17
Collet, S., see Mollo, M., **140** 159
Costanza, T., see Desaphy, J.-F., **140** 225
Cottrell, J.A., Meyenhofer, M., Medicherla, S., Higgins, L., O'Connor, J.P., Analgesic effects of p38 kinase inhibitor treatment on bone fracture healing, **140** 116
Courade, J.-P., see Russell, F.A., **140** 264
Crombez, G., see Vervoort, T., **140** 142

Daanen, J.F., see Honore, P., **140** 27
Dallel, R., see Lapirot, O., **140** 245
Danielsen, E.R., see Kupers, R., **140** 89
De Bellis, M., see Desaphy, J.-F., **140** 225
de Mos, M., Huygen, F.J.P.M., Stricker, B.H.Ch., Dieleman, J.P., Sturkenboom, M.C.J.M., The association between ACE inhibitors and the complex regional pain syndrome: Suggestions for a neuro-inflammatory pathogenesis of CRPS, **140** 218
Dehghan, M., see Khatibi, A., **140** 42
Delmas, P., see Desaphy, J.-F., **140** 225
Desaphy, J.-F., Dipalma, A., De Bellis, M., Costanza, T., Gaudioso, C., Delmas, P., George Jr., A.L., Camerino, D.C., Involvement of voltage-gated sodium channels blockade in the analgesic effects of orphenadrine, **140** 225
Devor, M., Tal, M., What causes low back pain?, **140** 11
Dieleman, J.P., see de Mos, M., **140** 218
Dionne, R.A., see Wang, X.-M., **140** 275
Dipalma, A., see Desaphy, J.-F., **140** 225
Drover, D.R., see Angst, M.S., **140** 17
Drummond, P.D., see Frew, A.K., **140** 68
Duarte, I.D.G., see Rezende, R.M., **140** 94
Dubner, R., A bibliometric analysis of the *Pain* journal as a representation of progress and trends in the field, **140** 9
Dworkin, R.H., Barbano, R.L., Tyring, S.K., Betts, R.F., McDermott, M.P., Pennella-Vaughan, J., Bennett, G.J., Berber, E., Gnann, J.W., Irvine, C., Kamp, C., Kieburtz, K., Max, M.B., Schmader, K.E., A randomized, placebo-controlled trial of oxycodone and of gabapentin for acute pain in herpes zoster, **140** 209

Falla, D., see Arendt-Nielsen, L., **140** 171
Faltynek, C.R., see Honore, P., **140** 27
Fargo, J.D., see Volinn, E., **140** 194
Fernandes, E.S., see Russell, F.A., **140** 264
Fernandez, K.C., see Butler, S.F., **140** 169
Fine, P.G., see Volinn, E., **140** 194
Finn, D.P., see Ford, G.K., **140** 167
Foley, K.M., Vittorio Ventafridda (1927–2008), **140** 1
Ford, G.K., Finn, D.P., Comments on stress-induced analgesia. Response to the Letter to the Editor by Daniel Le Bars and Pascal Carrive on clinical correlates of stress-induced analgesia: Evidence from pharmacological studies, **140** 167
Foster, N.E., see Hill, J.C., **140** 164
France, C.R., Taddio, A., Shah, V.S., Pagé, M.G., Katz, J., Maternal family history of hypertension attenuates neonatal pain response, **140** 189

doi:10.1016/S0304-3959(09)00122-5

PAIN 142 (2009) 286–288

PAIN

www.elsevier.com/locate/pain

Author Index to Volume 142 (2009)

Amaya, F., Samad, T.A., Barrett, L., Broom, D.C., Woolf, C.J., Periganglionic inflammation elicits a distally radiating pain hypersensitivity by promoting COX-2 induction in the dorsal root ganglion, **140** 59
Angst, M.S., Chu, L.F., Tingle, M.S., Shafer, S.L., Clark, J.D., Drover, D.R., No evidence for the development of acute tolerance to analgesic, respiratory depressant and sedative opioid effects in humans, **140** 17
Aoki, Y., see Maeda, Y., **140** 127
Arendt-Nielsen, L., Falla, D., Motor control adjustments in musculoskeletal pain and the implications for pain recurrence, **140** 171
Artola, A., see Lapirot, O., **140** 245
Asmundson, G.J.G., see Khatibi, A., **140** 42

Bakhle, Y.S., see Rezende, R.M., **140** 94
Banfor, P.N., see Honore, P., **140** 27
Barbano, R.L., see Dworkin, R.H., **140** 209
Barrett, L., see Amaya, F., **140** 59
Bautrant, E., see Mollo, M., **140** 159
Bayburt, E., see Honore, P., **140** 27
Bennett, G.J., see Dworkin, R.H., **140** 209
Benoit, C., see Butler, S.F., **140** 169
Berber, E., see Dworkin, R.H., **140** 209
Bergström, G., see Jensen, I.B., **140** 202
Betts, R.F., see Dworkin, R.H., **140** 209
Bigal, M.E., Lipton, R.B., Excessive opioid use and the development of chronic migraine, **140** 179
Birklein, F., Kingery, W.S., Complex regional pain syndrome: A loss of inhibition?, **140** 177
Bodin, L., see Jensen, I.B., **140** 202
Boyer, R., see Mollo, M., **140** 159
Brähler, E., see Mewes, R., **140** 36
Brain, S.D., see Russell, F.A., **140** 264
Broom, D.C., see Amaya, F., **140** 59
Budman, S.H., see Butler, S.F., **140** 169
Busch, H., see Jensen, I.B., **140** 202
Butler, S.F., Budman, S.H., Fernandez, K.C., Houle, B., Benoit, C., Katz, N., Jamison, R.N., Corrigendum to "Development and validation of the current opioid misuse measure" [Pain 130 (2007) 144–56], **140** 169

Camerino, D.C., see Desaphy, J.-F., **140** 225
Carrive, P., see Le Bars, D., **140** 165
Cetas, J.S., see Martenson, M.E., **140** 236
Chandran, P., see Honore, P., **140** 27
Chaplan, S.R., see Wickenden, A.D., **140** 5
Chebbi, R., see Lapirot, O., **140** 245
Chen, G.-D., see Peng, H.-Y., **140** 75
Chiu, C.-H., see Peng, H.-Y., **140** 75
Christensen, R., see Kupers, R., **140** 89
Chu, L.F., see Angst, M.S., **140** 17
Clark, J.D., see Angst, M.S., **140** 17
Collet, S., see Mollo, M., **140** 159
Costanza, T., see Desaphy, J.-F., **140** 225
Cottrell, J.A., Meyenhofer, M., Medicherla, S., Higgins, L., O'Connor, J.P., Analgesic effects of p38 kinase inhibitor treatment on bone fracture healing, **140** 116
Courade, J.-P., see Russell, F.A., **140** 264
Crombez, G., see Vervoort, T., **140** 142

Daanen, J.F., see Honore, P., **140** 27
Dallel, R., see Lapirot, O., **140** 245
Danielsen, E.R., see Kupers, R., **140** 89
De Bellis, M., see Desaphy, J.-F., **140** 225
de Mos, M., Huygen, F.J.P.M., Stricker, B.H.Ch., Dieleman, J.P., Sturkenboom, M.C.J.M., The association between ACE inhibitors and the complex regional pain syndrome: Suggestions for a neuro-inflammatory pathogenesis of CRPS, **140** 218
Dehghan, M., see Khatibi, A., **140** 42
Delmas, P., see Desaphy, J.-F., **140** 225
Desaphy, J.-F., Dipalma, A., De Bellis, M., Costanza, T., Gaudioso, C., Delmas, P., George Jr., A.L., Camerino, D.C., Involvement of voltage-gated sodium channels blockade in the analgesic effects of orphenadrine, **140** 225
Devor, M., Tal, M., What causes low back pain?, **140** 11
Dieleman, J.P., see de Mos, M., **140** 218
Dionne, R.A., see Wang, X.-M., **140** 275
Dipalma, A., see Desaphy, J.-F., **140** 225
Drover, D.R., see Angst, M.S., **140** 17
Drummond, P.D., see Frew, A.K., **140** 68
Duarte, I.D.G., see Rezende, R.M., **140** 94
Dubner, R., A bibliometric analysis of the *Pain* journal as a representation of progress and trends in the field, **140** 9
Dworkin, R.H., Barbano, R.L., Tyring, S.K., Betts, R.F., McDermott, M.P., Pennella-Vaughan, J., Bennett, G.J., Berber, E., Gnann, J.W., Irvine, C., Kamp, C., Kieburtz, K., Max, M.B., Schmader, K.E., A randomized, placebo-controlled trial of oxycodone and of gabapentin for acute pain in herpes zoster, **140** 209

Falla, D., see Arendt-Nielsen, L., **140** 171
Faltynek, C.R., see Honore, P., **140** 27
Fargo, J.D., see Volinn, E., **140** 194
Fernandes, E.S., see Russell, F.A., **140** 264
Fernandez, K.C., see Butler, S.F., **140** 169
Fine, P.G., see Volinn, E., **140** 194
Finn, D.P., see Ford, G.K., **140** 167
Foley, K.M., Vittorio Ventafridda (1927–2008), **140** 1
Ford, G.K., Finn, D.P., Comments on stress-induced analgesia. Response to the Letter to the Editor by Daniel Le Bars and Pascal Carrive on clinical correlates of stress-induced analgesia: Evidence from pharmacological studies, **140** 167
Foster, N.E., see Hill, J.C., **140** 164
France, C.R., Taddio, A., Shah, V.S., Pagé, M.G., Katz, J., Maternal family history of hypertension attenuates neonatal pain response, **140** 189

doi:10.1016/S0304-3959(09)00122-5

Francischi, J.N.d., see Rezende, R.M., **140** 94
Frew, A.K., Drummond, P.D., Opposite effects of opioid blockade on the blood pressure–pain relationship in depressed and non-depressed participants, **140** 68
Fryer, R.M., see Honore, P., **140** 27

Gaudioso, C., see Desaphy, J.-F., **140** 225
Gauvin, D.M., see Honore, P., **140** 27
George Jr., A.L., see Desaphy, J.-F., **140** 225
George, S.Z., Robinson, M.E., Response to Keele team's response letter, **140** 165
Ghilardi, J.R., see Honore, P., **140** 27
Glaesmer, H., see Mewes, R., **140** 36
Gnann, J.W., see Dworkin, R.H., **140** 209
Gomtsyan, A., see Honore, P., **140** 27
Goubert, L., see Vervoort, T., **140** 142

Haanpää, M., Controlled release oxycodone – An evidence-based treatment for pain in acute herpes zoster, **140** 175
Hagberg, J., see Jensen, I.B., **140** 202
Hamza, M., see Wang, X.-M., **140** 275
Hatira, P., see Liossi, C., **140** 255
Hay, E.M., see Hill, J.C., **140** 164
Heinricher, M.M., see Martenson, M.E., **140** 236
Hernandez, G., see Honore, P., **140** 27
Higgins, L., see Cottrell, J.A., **140** 116
Hill, J.C., Foster, N.E., Main, C.J., Hay, E.M., In response to: "A randomized trial of behavioral physical therapy interventions for acute and sub-acute low back pain, by George SZ et al. [Pain 2008;140:145-57], **140** 164
Hodges, P.W., see MacDonald, D., **140** 183
Honore, P., Chandran, P., Hernandez, G., Gauvin, D.M., Mikusa, J.P., Zhong, C., Joshi, S.K., Ghilardi, J.R., Sevcik, M.A., Fryer, R.M., Segreti, J.A., Banfor, P.N., Marsh, K., Neelands, T., Bayburt, E., Daanen, J.F., Gomtsyan, A., Lee, C.-H., Kort, M.E., Reilly, R.M., Surowy, C.S., Kym, P.R., Mantyh, P.W., Sullivan, J.P., Jarvis, M.F., Faltynek, C.R., Repeated dosing of ABT-102, a potent and selective TRPV1 antagonist, enhances TRPV1-mediated analgesic activity in rodents, but attenuates antagonist-induced hyperthermia, **140** 27
Houle, B., see Butler, S.F., **140** 169
Hsien, M.-C., see Peng, H.-Y., **140** 75
Huygen, F.J.P.M., see de Mos, M., **140** 218

Irvine, C., see Dworkin, R.H., **140** 209

Jääskeläinen, S.K., see Valmunen, T., **140** 149
Jamison, R.N., see Butler, S.F., **140** 169
Jarvis, M.F., see Honore, P., **140** 27
Jensen, I.B., Busch, H., Bodin, L., Hagberg, J., Nygren, Å., Bergström, G., Cost effectiveness of two rehabilitation programmes for neck and back pain patients: A seven year follow-up, **140** 202
Joshi, S.K., see Honore, P., **140** 27

Kamp, C., see Dworkin, R.H., **140** 209
Katz, J., see France, C.R., **140** 189
Katz, N., see Butler, S.F., **140** 169
Kawabata, A., see Maeda, Y., **140** 127
Keeble, J.E., see Russell, F.A., **140** 264
Kehlet, H., see Kupers, R., **140** 89
Khatibi, A., Dehghan, M., Sharpe, L., Asmundson, G.J.G., Pouretemad, H., Selective attention towards painful faces among chronic pain patients: Evidence from a modified version of the dot-probe, **140** 42
Kieburtz, K., see Dworkin, R.H., **140** 209
Kingery, W.S., see Birklein, F., **140** 177
Kort, M.E., see Honore, P., **140** 27
Kroenke, M.D.K., Measuring and distilling the impact of pain, **140** 7
Kupers, R., Danielsen, E.R., Kehlet, H., Christensen, R., Thomsen, C., Painful tonic heat stimulation induces GABA accumulation in the prefrontal cortex in man, **140** 89
Kym, P.R., see Honore, P., **140** 27

Lai, C.-Y., see Peng, H.-Y., **140** 75
Lapirot, O., Chebbi, R., Monconduit, L., Artola, A., Dallel, R., Luccarini, P., NK1 receptor-expressing spinoparabrachial neurons trigger diffuse noxious inhibitory controls through lateral parabrachial activation in the male rat, **140** 245
Le Bars, D., Carrive, P., Letter to the editor of Pain about Gemma Ford and David Finn, Clinical correlates of stress-induced analgesia: Evidence from pharmacological study. Pain 2008;140:3–7, **140** 166
Lee, C.-H., see Honore, P., **140** 27
Lee, S.-D., see Peng, H.-Y., **140** 75
Liao, J.-M., see Peng, H.-Y., **140** 75
Lima, P.P., see Rezende, R.M., **140** 94
Lin, T.-B., see Peng, H.-Y., **140** 75
Liossi, C., White, P., Hatira, P., A randomized clinical trial of a brief hypnosis intervention to control venepuncture-related pain of paediatric cancer patients, **140** 255
Lipton, R.B., see Bigal, M.E., **140** 179
Lu, H.-T., see Peng, H.-Y., **140** 75
Luccarini, P., see Lapirot, O., **140** 245
Luo, F., see Wang, N., **140** 108
Lutfun, N., see Poh, K.-W., **140** 133

MacDonald, D., Moseley, G.L., Hodges, P.W., Why do some patients keep hurting their back? Evidence of ongoing back muscle dysfunction during remission from recurrent back pain, **140** 183
Maeda, Y., Aoki, Y., Sekiguchi, F., Matsunami, M., Takahashi, T., Nishikawa, H., Kawabata, A., Hyperalgesia induced by spinal and peripheral hydrogen sulfide: Evidence for involvement of $Ca_v3.2$ T-type calcium channels, **140** 127
Main, C.J., see Hill, J.C., **140** 164
Manikandan, J., see Poh, K.-W., **140** 133
Mantyh, P.W., see Honore, P., **140** 27
Marsh, K., see Honore, P., **140** 27
Martenson, M.E., Cetas, J.S., Heinricher, M.M., A possible neural basis for stress-induced hyperalgesia, **140** 236
Martin, A., see Mewes, R., **140** 36
Matsunami, M., see Maeda, Y., **140** 127
Max, M.B., see Dworkin, R.H., **140** 209
McCubbin, J.A., Prenatal maternal stress hormones, risk for hypertension, and the neonatal pain response: Comment on France et al., "Maternal family history of hypertension attenuates neonatal pain response", **140** 173
McDermott, M.P., see Dworkin, R.H., **140** 209
McGowan, N., Sharpe, L., Refshauge, K., Nicholas, M.K., The effect of attentional re-training and threat expectancy in response to acute pain, **140** 101
Medicherla, S., see Cottrell, J.A., **140** 116
Mewes, R., Rief, W., Stenzel, N., Glaesmer, H., Martin, A., Brähler, E., What is "normal" disability? An investigation of disability in the general population, **140** 36
Meyenhofer, M., see Cottrell, J.A., **140** 116
Mikusa, J.P., see Honore, P., **140** 27
Mogil, J.S., Simmonds, K., Simmonds, M.J., Pain research from 1975 to 2007: A categorical and bibliometric meta-trend analysis of every Research Paper published in the journal, *Pain*, **140** 48
Mollo, M., Bautrant, E., Rossi-Seignert, A.-K., Collet, S., Boyer, R., Thiers-Bautrant, D., Evaluation of diagnostic accuracy of Colour Duplex Scanning, compared to electroneuromyography, diagnostic score and surgical outcomes, in Pudendal Neuralgia by entrapment: A prospective study on 96 patients, **140** 159
Monconduit, L., see Lapirot, O., **140** 245
Moseley, G.L., see MacDonald, D., **140** 183

Neelands, T., see Honore, P., **140** 27
Nicholas, M.K., see McGowan, N., **140** 101
Nishikawa, H., see Maeda, Y., **140** 127
Nygren, Å., see Jensen, I.B., **140** 202

O'Connor, J.P., see Cottrell, J.A., **140** 116
Ong, W.-Y., see Poh, K.-W., **140** 133

Pagé, M.G., see France, C.R., **140** 189
Parkkola, R., see Valmunen, T., **140** 149
Peng, H.-Y., Chen, G.-D., Tung, K.-C., Lai, C.-Y., Hsien, M.-C., Chiu, C.-H., Lu, H.-T., Liao, J.-M., Lee, S.-D., Lin, T.-B., Colon mustard oil instillation induced cross-organ reflex sensitization on the pelvic–urethra reflex activity in rats, **140** 75
Pennella-Vaughan, J., see Dworkin, R.H., **140** 209
Pertovaara, A., see Valmunen, T., **140** 149
Poh, K.-W., Lutfun, N., Manikandan, J., Ong, W.-Y., Yeo, J.-F., Global gene expression analysis in the mouse brainstem after hyperalgesia induced by facial carrageenan injection – Evidence for a form of neurovascular coupling?, **140** 133
Pouretemad, H., see Khatibi, A., **140** 42

Quessy, S.N., Comment on: Animal models and the prediction of efficacy in clinical trials of analgesic drugs: A critical appraisal and a call for uniform reporting standards, **140** 284

Refshauge, K., see McGowan, N., **140** 101
Reilly, R.M., see Honore, P., **140** 27
Reis, W.G.P.d., see Rezende, R.M., **140** 94
Rezende, R.M., Reis, W.G.P.d., Duarte, I.D.G., Lima, P.P., Bakhle, Y.S., Francischi, J.N.d., The analgesic actions of centrally administered celecoxib are mediated by endogenous opioids, **140** 94
Rief, W., see Mewes, R., **140** 36
Robinson, M.E., see George, S.Z., **140** 165
Rossi-Seignert, A.-K., see Mollo, M., **140** 159
Russell, F.A., Fernandes, E.S., Courade, J.-P., Keeble, J.E., Brain, S.D., Tumour necrosis factor α mediates transient receptor potential vanilloid 1-dependent bilateral thermal hyperalgesia with distinct peripheral roles of interleukin-1β, protein kinase C and cyclooxygenase-2 signalling, **140** 264

Samad, T.A., see Amaya, F., **140** 59
Schmader, K.E., see Dworkin, R.H., **140** 209
Segreti, J.A., see Honore, P., **140** 27
Sekiguchi, F., see Maeda, Y., **140** 127
Sevcik, M.A., see Honore, P., **140** 27
Shafer, S.L., see Angst, M.S., **140** 17
Shah, V.S., see France, C.R., **140** 189
Sharpe, L., see McGowan, N., **140** 101
Sharpe, L., see Khatibi, A., **140** 42
Simmonds, K., see Mogil, J.S., **140** 48
Simmonds, M.J., see Mogil, J.S., **140** 48
Simonnet, G., Acute tolerance to opioids: Methodological, theoretical and clinical implications, **140** 3
Stenzel, N., see Mewes, R., **140** 36
Stricker, B.H.Ch., see de Mos, M., **140** 218
Sturkenboom, M.C.J.M., see de Mos, M., **140** 218
Sullivan, J.P., see Honore, P., **140** 27
Surowy, C.S., see Honore, P., **140** 27

Taddio, A., see France, C.R., **140** 189
Taiminen, T., see Valmunen, T., **140** 149
Takahashi, T., see Maeda, Y., **140** 127
Tal, M., see Devor, M., **140** 11
Taylor, C.P., Mechanisms of analgesia by gabapentin and pregabalin – Calcium channel α_2-δ [$Ca_v\alpha_2$-δ] ligands, **140** 13
Thiers-Bautrant, D., see Mollo, M., **140** 159
Thomsen, C., see Kupers, R., **140** 89
Tingle, M.S., see Angst, M.S., **140** 17
Tung, K.-C., see Peng, H.-Y., **140** 75
Tyring, S.K., see Dworkin, R.H., **140** 209

Valmunen, T., Pertovaara, A., Taiminen, T., Virtanen, A., Parkkola, R., Jääskeläinen, S.K., Modulation of facial sensitivity by navigated rTMS in healthy subjects, **140** 149
Vervoort, T., Goubert, L., Crombez, G., The relationship between high catastrophizing children's facial display of pain and parental judgment of their child's pain, **140** 142
Virtanen, A., see Valmunen, T., **140** 149
Volinn, E., Fargo, J.D., Fine, P.G., Opioid therapy for nonspecific low back pain and the outcome of chronic work loss, **140** 194

Wang, J.-Y., see Wang, N., **140** 108
Wang, N., Wang, J.-Y., Luo, F., Corticofugal outputs facilitate acute, but inhibit chronic pain in rats, **140** 108
Wang, X.-M., Hamza, M., Wu, T.-X., Dionne, R.A., Upregulation of IL-6, IL-8 and CCL2 gene expression after acute inflammation: Correlation to clinical pain, **140** 275
White, P., see Liossi, C., **140** 255
Wickenden, A.D., Chaplan, S.R., Once is not enough: Improved efficacy following repeated dosing with a TRPV1 antagonist, **140** 5
Woolf, C.J., see Amaya, F., **140** 59
Wu, T.-X., see Wang, X.-M., **140** 275

Yeo, J.-F., see Poh, K.-W., **140** 133

Zhong, C., see Honore, P., **140** 27

PAIN 142 (2009) 289–293

PAIN

www.elsevier.com/locate/pain

Subject Index to Volume 142 (2009)

Acute inflammatory pain
Upregulation of IL-6, IL-8 and CCL2 gene expression after acute inflammation: Correlation to clinical pain, **142**, 275
Acute pain
A randomized, placebo-controlled trial of oxycodone and of gabapentin for acute pain in herpes zoster, **142**, 209
Acute pain
The effect of attentional re-training and threat expectancy in response to acute pain, **142**, 101
Alcock's canal syndrome
Evaluation of diagnostic accuracy of Colour Duplex Scanning, compared to electroneuromyography, diagnostic score and surgical outcomes, in Pudendal Neuralgia by entrapment: A prospective study on 96 patients, **142**, 159
Analgesia
Analgesic effects of p38 kinase inhibitor treatment on bone fracture healing, **142**, 116
Analgesia
Involvement of voltage-gated sodium channels blockade in the analgesic effects of orphenadrine, **142**, 225
Angiotensin converting enzyme (ACE)
The association between ACE inhibitors and the complex regional pain syndrome: Suggestions for a neuro-inflammatory pathogenesis of CRPS, **142**, 218
Animal model
Analgesic effects of p38 kinase inhibitor treatment on bone fracture healing, **142**, 116
Anterior cingulate cortex
Painful tonic heat stimulation induces GABA accumulation in the prefrontal cortex in man, **142**, 89
Antihypertensive drugs
The association between ACE inhibitors and the complex regional pain syndrome: Suggestions for a neuro-inflammatory pathogenesis of CRPS, **142**, 218
Anxiety
Selective attention towards painful faces among chronic pain patients: Evidence from a modified version of the dot-probe, **142**, 42
Attentional bias
The effect of attentional re-training and threat expectancy in response to acute pain, **142**, 101
Back pain
Cost effectiveness of two rehabilitation programmes for neck and back pain patients: A seven year follow-up, **142**, 202
Back pain
Opioid therapy for nonspecific low back pain and the outcome of chronic work loss, **142**, 194
Baroreceptor-mediated analgesia
Opposite effects of opioid blockade on the blood pressure–pain relationship in depressed and non-depressed participants, **142**, 68
Bibliometric analysis
A bibliometric analysis of the *Pain* journal as a representation of progress and trends in the field, **142**, 9
Bibliometric analysis
Pain research from 1975 to 2007: A categorical and bibliometric meta-trend analysis of every Research Paper published in the journal, *Pain*, **142**, 48
Bilateral hyperalgesia
Tumour necrosis factor α mediates transient receptor potential vanilloid 1-dependent bilateral thermal hyperalgesia with distinct peripheral roles of interleukin-1β, protein kinase C and cyclooxygenase-2 signalling, **142**, 264
Blood pressure
Maternal family history of hypertension attenuates neonatal pain response, **142**, 189
Blood pressure
Opposite effects of opioid blockade on the blood pressure–pain relationship in depressed and non-depressed participants, **142**, 68
Bone regeneration
Analgesic effects of p38 kinase inhibitor treatment on bone fracture healing, **142**, 116
Brain imaging
Painful tonic heat stimulation induces GABA accumulation in the prefrontal cortex in man, **142**, 89
Brainstem
A possible neural basis for stress-induced hyperalgesia, **142**, 236
$Ca_v3.2$
Hyperalgesia induced by spinal and peripheral hydrogen sulfide: Evidence for involvement of $Ca_v3.2$ T-type calcium channels, **142**, 127
Cancer
A randomized clinical trial of a brief hypnosis intervention to control venepuncture-related pain of paediatric cancer patients, **142**, 255
Celecoxib
The analgesic actions of centrally administered celecoxib are mediated by endogenous opioids, **142**, 94
Central nervous system
The analgesic actions of centrally administered celecoxib are mediated by endogenous opioids, **142**, 94
Chemokines
Upregulation of IL-6, IL-8 and CCL2 gene expression after acute inflammation: Correlation to clinical pain, **142**, 275
Children
A randomized clinical trial of a brief hypnosis intervention to control venepuncture-related pain of paediatric cancer patients, **142**, 255
Chronic pain
Selective attention towards painful faces among chronic pain patients: Evidence from a modified version of the dot-probe, **142**, 42

doi:10.1016/S0304-3959(09)00123-7

Chronic pain
The effect of attentional re-training and threat expectancy in response to acute pain, **142**, 101
Chronic treatment
Repeated dosing of ABT-102, a potent and selective TRPV1 antagonist, enhances TRPV1-mediated analgesic activity in rodents, but attenuates antagonist-induced hyperthermia, **142**, 27
Complete Freund's adjuvant
Corticofugal outputs facilitate acute, but inhibit chronic pain in rats, **142**, 108
Complex regional pain syndrome
The association between ACE inhibitors and the complex regional pain syndrome: Suggestions for a neuro-inflammatory pathogenesis of CRPS, **142**, 218
Controlled study
Cost effectiveness of two rehabilitation programmes for neck and back pain patients: A seven year follow-up, **142**, 202
Convergent pathway
Colon mustard oil instillation induced cross-organ reflex sensitization on the pelvic–urethra reflex activity in rats, **142**, 75
Core body temperature
Repeated dosing of ABT-102, a potent and selective TRPV1 antagonist, enhances TRPV1-mediated analgesic activity in rodents, but attenuates antagonist-induced hyperthermia, **142**, 27
Cost effectiveness
Cost effectiveness of two rehabilitation programmes for neck and back pain patients: A seven year follow-up, **142**, 202
Cyclooxygenase 2
Periganglionic inflammation elicits a distally radiating pain hypersensitivity by promoting COX-2 induction in the dorsal root ganglion, **142**, 59
Cytokines
Upregulation of IL-6, IL-8 and CCL2 gene expression after acute inflammation: Correlation to clinical pain, **142**, 275
Descending inhibitory control
NK1 receptor-expressing spinoparabrachial neurons trigger diffuse noxious inhibitory controls through lateral parabrachial activation in the male rat, **142**, 245
Descending modulation
Corticofugal outputs facilitate acute, but inhibit chronic pain in rats, **142**, 108
Dorsal root ganglion
Periganglionic inflammation elicits a distally radiating pain hypersensitivity by promoting COX-2 induction in the dorsal root ganglion, **142**, 59
Dorsolateral prefrontal cortex
Modulation of facial sensitivity by navigated rTMS in healthy subjects, **142**, 149
DRG sensory neurons
Involvement of voltage-gated sodium channels blockade in the analgesic effects of orphenadrine, **142**, 225
Duplex ultrasound scanning
Evaluation of diagnostic accuracy of Colour Duplex Scanning, compared to electroneuromyography, diagnostic score and surgical outcomes, in Pudendal Neuralgia by entrapment: A prospective study on 96 patients, **142**, 159
Editorial
A bibliometric analysis of the *Pain* journal as a representation of progress and trends in the field, **142**, 9
Electromyography
Why do some patients keep hurting their back? Evidence of ongoing back muscle dysfunction during remission from recurrent back pain, **142**, 183
EMLA
A randomized clinical trial of a brief hypnosis intervention to control venepuncture-related pain of paediatric cancer patients, **142**, 255
Endogenous opioids
Opposite effects of opioid blockade on the blood pressure–pain relationship in depressed and non-depressed participants, **142**, 68
Endogenous opioids
The analgesic actions of centrally administered celecoxib are mediated by endogenous opioids, **142**, 94
Epidemiology
The association between ACE inhibitors and the complex regional pain syndrome: Suggestions for a neuro-inflammatory pathogenesis of CRPS, **142**, 218
Experimental pain
No evidence for the development of acute tolerance to analgesic, respiratory depressant and sedative opioid effects in humans, **142**, 17
Facial pain expression
The relationship between high catastrophizing children's facial display of pain and parental judgment of their child's pain, **142**, 142
Facial thermal perception
Modulation of facial sensitivity by navigated rTMS in healthy subjects, **142**, 149
Family history of hypertension
Maternal family history of hypertension attenuates neonatal pain response, **142**, 189
Formalin
Corticofugal outputs facilitate acute, but inhibit chronic pain in rats, **142**, 108
Fracture healing
Analgesic effects of p38 kinase inhibitor treatment on bone fracture healing, **142**, 116
GABA
Corticofugal outputs facilitate acute, but inhibit chronic pain in rats, **142**, 108
GABA
Painful tonic heat stimulation induces GABA accumulation in the prefrontal cortex in man, **142**, 89
Gabapentin
A randomized, placebo-controlled trial of oxycodone and of gabapentin for acute pain in herpes zoster, **142**, 209
Gene expression
Upregulation of IL-6, IL-8 and CCL2 gene expression after acute inflammation: Correlation to clinical pain, **142**, 275
General population
What is "normal" disability? An investigation of disability in the general population, **142**, 36
Glutamate
Colon mustard oil instillation induced cross-organ reflex sensitization on the pelvic–urethra reflex activity in rats, **142**, 75
H-MRS
Painful tonic heat stimulation induces GABA accumulation in the prefrontal cortex in man, **142**, 89
Health care utilisation
What is "normal" disability? An investigation of disability in the general population, **142**, 36
Herpes zoster
A randomized, placebo-controlled trial of oxycodone and of gabapentin for acute pain in herpes zoster, **142**, 209
Hydrogen sulfide
Hyperalgesia induced by spinal and peripheral hydrogen sulfide: Evidence for involvement of $Ca_v3.2$ T-type calcium channels, **142**, 127
Hyperalgesia
A possible neural basis for stress-induced hyperalgesia, **142**, 236
Hyperalgesia
Global gene expression analysis in the mouse brainstem after hyperalgesia induced by facial carrageenan injection – Evidence for a form of neurovascular coupling?, **142**, 133

Hyperalgesia
Hyperalgesia induced by spinal and peripheral hydrogen sulfide: Evidence for involvement of $Ca_v3.2$ T-type calcium channels, **142**, 127
Hypervigilance
Selective attention towards painful faces among chronic pain patients: Evidence from a modified version of the dot-probe, **142**, 42
Hypervigilance
The effect of attentional re-training and threat expectancy in response to acute pain, **142**, 101
Hypnosis
A randomized clinical trial of a brief hypnosis intervention to control venepuncture-related pain of paediatric cancer patients, **142**, 255
Hypoalgesia
Maternal family history of hypertension attenuates neonatal pain response, **142**, 189
Hypoalgesia
The analgesic actions of centrally administered celecoxib are mediated by endogenous opioids, **142**, 94
ICAM-1
Global gene expression analysis in the mouse brainstem after hyperalgesia induced by facial carrageenan injection – Evidence for a form of neurovascular coupling?, **142**, 133
IL-1β
Tumour necrosis factor α mediates transient receptor potential vanilloid 1-dependent bilateral thermal hyperalgesia with distinct peripheral roles of interleukin-1β, protein kinase C and cyclooxygenase-2 signalling, **142**, 264
Increased potency
Repeated dosing of ABT-102, a potent and selective TRPV1 antagonist, enhances TRPV1-mediated analgesic activity in rodents, but attenuates antagonist-induced hyperthermia, **142**, 27
Inflammation
Periganglionic inflammation elicits a distally radiating pain hypersensitivity by promoting COX-2 induction in the dorsal root ganglion, **142**, 59
Internal pudendal artery
Evaluation of diagnostic accuracy of Colour Duplex Scanning, compared to electroneuromyography, diagnostic score and surgical outcomes, in Pudendal Neuralgia by entrapment: A prospective study on 96 patients, **142**, 159
Intervention study
Cost effectiveness of two rehabilitation programmes for neck and back pain patients: A seven year follow-up, **142**, 202
Irritable bowel syndrome
Colon mustard oil instillation induced cross-organ reflex sensitization on the pelvic–urethra reflex activity in rats, **142**, 75
Local anesthetic
Involvement of voltage-gated sodium channels blockade in the analgesic effects of orphenadrine, **142**, 225
Loss of production
Cost effectiveness of two rehabilitation programmes for neck and back pain patients: A seven year follow-up, **142**, 202
Low back pain
Periganglionic inflammation elicits a distally radiating pain hypersensitivity by promoting COX-2 induction in the dorsal root ganglion, **142**, 59
Low back pain
Why do some patients keep hurting their back? Evidence of ongoing back muscle dysfunction during remission from recurrent back pain, **142**, 183
M1/S1 cortex
Modulation of facial sensitivity by navigated rTMS in healthy subjects, **142**, 149
Major depressive disorder
Opposite effects of opioid blockade on the blood pressure–pain relationship in depressed and non-depressed participants, **142**, 68
Meta-analysis
A bibliometric analysis of the *Pain* journal as a representation of progress and trends in the field, **142**, 9
Meta-analysis
Pain research from 1975 to 2007: A categorical and bibliometric meta-trend analysis of every Research Paper published in the journal, *Pain*, **142**, 48
Naltrexone
Opposite effects of opioid blockade on the blood pressure–pain relationship in depressed and non-depressed participants, **142**, 68
Neck pain
Cost effectiveness of two rehabilitation programmes for neck and back pain patients: A seven year follow-up, **142**, 202
Neonate
Maternal family history of hypertension attenuates neonatal pain response, **142**, 189
Neurogenic inflammation
The association between ACE inhibitors and the complex regional pain syndrome: Suggestions for a neuro-inflammatory pathogenesis of CRPS, **142**, 218
Neurovascular coupling
Global gene expression analysis in the mouse brainstem after hyperalgesia induced by facial carrageenan injection – Evidence for a form of neurovascular coupling?, **142**, 133
NK1 receptor
NK1 receptor-expressing spinoparabrachial neurons trigger diffuse noxious inhibitory controls through lateral parabrachial activation in the male rat, **142**, 245
Nociception
Corticofugal outputs facilitate acute, but inhibit chronic pain in rats, **142**, 108
Nociception
NK1 receptor-expressing spinoparabrachial neurons trigger diffuse noxious inhibitory controls through lateral parabrachial activation in the male rat, **142**, 245
Nociceptive pain
Repeated dosing of ABT-102, a potent and selective TRPV1 antagonist, enhances TRPV1-mediated analgesic activity in rodents, but attenuates antagonist-induced hyperthermia, **142**, 27
Normative data
What is "normal" disability? An investigation of disability in the general population, **142**, 36
NSAIDs
Upregulation of IL-6, IL-8 and CCL2 gene expression after acute inflammation: Correlation to clinical pain, **142**, 275
OFF-cells
A possible neural basis for stress-induced hyperalgesia, **142**, 236
ON-cells
A possible neural basis for stress-induced hyperalgesia, **142**, 236
Opioid agonist
No evidence for the development of acute tolerance to analgesic, respiratory depressant and sedative opioid effects in humans, **142**, 17
Opioids
Opioid therapy for nonspecific low back pain and the outcome of chronic work loss, **142**, 194
Orofacial
NK1 receptor-expressing spinoparabrachial neurons trigger diffuse noxious inhibitory controls through lateral parabrachial activation in the male rat, **142**, 245
Orphenadrine
Involvement of voltage-gated sodium channels blockade in the analgesic effects of orphenadrine, **142**, 225
Outcomes
Opioid therapy for nonspecific low back pain and the outcome of chronic work loss, **142**, 194

Oxycodone
A randomized, placebo-controlled trial of oxycodone and of gabapentin for acute pain in herpes zoster, **142**, 209
P-selectin
Global gene expression analysis in the mouse brainstem after hyperalgesia induced by facial carrageenan injection – Evidence for a form of neurovascular coupling?, **142**, 133
p38 kinase
Analgesic effects of p38 kinase inhibitor treatment on bone fracture healing, **142**, 116
Pain
A randomized clinical trial of a brief hypnosis intervention to control venepuncture-related pain of paediatric cancer patients, **142**, 255
Pain
Global gene expression analysis in the mouse brainstem after hyperalgesia induced by facial carrageenan injection – Evidence for a form of neurovascular coupling?, **142**, 133
Pain
Hyperalgesia induced by spinal and peripheral hydrogen sulfide: Evidence for involvement of $Ca_v3.2$ T-type calcium channels, **142**, 127
Pain
NK1 receptor-expressing spinoparabrachial neurons trigger diffuse noxious inhibitory controls through lateral parabrachial activation in the male rat, **142**, 245
Pain
Painful tonic heat stimulation induces GABA accumulation in the prefrontal cortex in man, **142**, 89
Pain catastrophizing
The relationship between high catastrophizing children's facial display of pain and parental judgment of their child's pain, **142**, 142
Pain Disability Index
What is "normal" disability? An investigation of disability in the general population, **142**, 36
Pain intensity
The relationship between high catastrophizing children's facial display of pain and parental judgment of their child's pain, **142**, 142
Pain management
Analgesic effects of p38 kinase inhibitor treatment on bone fracture healing, **142**, 116
Pain model
Analgesic effects of p38 kinase inhibitor treatment on bone fracture healing, **142**, 116
Pain research
A bibliometric analysis of the *Pain* journal as a representation of progress and trends in the field, **142**, 9
Pain research
Pain research from 1975 to 2007: A categorical and bibliometric meta-trend analysis of every Research Paper published in the journal, *Pain*, **142**, 48
Pain response
Maternal family history of hypertension attenuates neonatal pain response, **142**, 189
Pain-modulation
A possible neural basis for stress-induced hyperalgesia, **142**, 236
Painful faces
Selective attention towards painful faces among chronic pain patients: Evidence from a modified version of the dot-probe, **142**, 42
Parabrachial
NK1 receptor-expressing spinoparabrachial neurons trigger diffuse noxious inhibitory controls through lateral parabrachial activation in the male rat, **142**, 245
Paraspinal muscles
Why do some patients keep hurting their back? Evidence of ongoing back muscle dysfunction during remission from recurrent back pain, **142**, 183
Parental pain ratings
The relationship between high catastrophizing children's facial display of pain and parental judgment of their child's pain, **142**, 142
Pelvic pain
Colon mustard oil instillation induced cross-organ reflex sensitization on the pelvic–urethra reflex activity in rats, **142**, 75
Pharmacodynamics
No evidence for the development of acute tolerance to analgesic, respiratory depressant and sedative opioid effects in humans, **142**, 17
PKC
Tumour necrosis factor α mediates transient receptor potential vanilloid 1-dependent bilateral thermal hyperalgesia with distinct peripheral roles of interleukin-1β, protein kinase C and cyclooxygenase-2 signalling, **142**, 264
Postherpetic neuralgia
A randomized, placebo-controlled trial of oxycodone and of gabapentin for acute pain in herpes zoster, **142**, 209
Primary somatosensory cortex
Corticofugal outputs facilitate acute, but inhibit chronic pain in rats, **142**, 108
Prostaglandins
Tumour necrosis factor α mediates transient receptor potential vanilloid 1-dependent bilateral thermal hyperalgesia with distinct peripheral roles of interleukin-1β, protein kinase C and cyclooxygenase-2 signalling, **142**, 264
Psychometric evaluation
What is "normal" disability? An investigation of disability in the general population, **142**, 36
Pudendal Nerve Entrapment
Evaluation of diagnostic accuracy of Colour Duplex Scanning, compared to electroneuromyography, diagnostic score and surgical outcomes, in Pudendal Neuralgia by entrapment: A prospective study on 96 patients, **142**, 159
Pudendal Neuralgia
Evaluation of diagnostic accuracy of Colour Duplex Scanning, compared to electroneuromyography, diagnostic score and surgical outcomes, in Pudendal Neuralgia by entrapment: A prospective study on 96 patients, **142**, 159
Randomized clinical trial
A randomized, placebo-controlled trial of oxycodone and of gabapentin for acute pain in herpes zoster, **142**, 209
Recurrence
Why do some patients keep hurting their back? Evidence of ongoing back muscle dysfunction during remission from recurrent back pain, **142**, 183
Rehabilitation
Cost effectiveness of two rehabilitation programmes for neck and back pain patients: A seven year follow-up, **142**, 202
Remifentanil
No evidence for the development of acute tolerance to analgesic, respiratory depressant and sedative opioid effects in humans, **142**, 17
Repetitive transcranial magnetic stimulation (rTMS)
Modulation of facial sensitivity by navigated rTMS in healthy subjects, **142**, 149
Respiratory depression
No evidence for the development of acute tolerance to analgesic, respiratory depressant and sedative opioid effects in humans, **142**, 17
Risk
The association between ACE inhibitors and the complex regional pain syndrome: Suggestions for a neuro-inflammatory pathogenesis of CRPS, **142**, 218
Rostral ventromedial medulla
A possible neural basis for stress-induced hyperalgesia, **142**, 236
S2 cortex
Modulation of facial sensitivity by navigated rTMS in healthy subjects, **142**, 149

Sciatica
Perigangliomic inflammation elicits a distally radiating pain hypersensitivity by promoting COX-2 induction in the dorsal root ganglion, **142**, 59
Sedation
No evidence for the development of acute tolerance to analgesic, respiratory depressant and sedative opioid effects in humans, **142**, 17
Selective attention
Selective attention towards painful faces among chronic pain patients: Evidence from a modified version of the dot-probe, **142**, 42
Serine kinase
Colon mustard oil instillation induced cross-organ reflex sensitization on the pelvic–urethra reflex activity in rats, **142**, 75
Sickness absence
Cost effectiveness of two rehabilitation programmes for neck and back pain patients: A seven year follow-up, **142**, 202
Signal detection theory
Modulation of facial sensitivity by navigated rTMS in healthy subjects, **142**, 149
Sodium channel subtypes
Involvement of voltage-gated sodium channels blockade in the analgesic effects of orphenadrine, **142**, 225
Spinal cord
Hyperalgesia induced by spinal and peripheral hydrogen sulfide: Evidence for involvement of $Ca_v3.2$ T-type calcium channels, **142**, 127
Substance P
NK1 receptor-expressing spinoparabrachial neurons trigger diffuse noxious inhibitory controls through lateral parabrachial activation in the male rat, **142**, 245
Surgical decompression
Evaluation of diagnostic accuracy of Colour Duplex Scanning, compared to electroneuromyography, diagnostic score and surgical outcomes, in Pudendal Neuralgia by entrapment: A prospective study on 96 patients, **142**, 159
T-type Ca^{2+} channel
Hyperalgesia induced by spinal and peripheral hydrogen sulfide: Evidence for involvement of $Ca_v3.2$ T-type calcium channels, **142**, 127
TNFα
Tumour necrosis factor α mediates transient receptor potential vanilloid 1-dependent bilateral thermal hyperalgesia with distinct peripheral roles of interleukin-1β, protein kinase C and cyclooxygenase-2 signalling, **142**, 264
Tolerance
No evidence for the development of acute tolerance to analgesic, respiratory depressant and sedative opioid effects in humans, **142**, 17
Toxic effects
Involvement of voltage-gated sodium channels blockade in the analgesic effects of orphenadrine, **142**, 225
Trend analysis
A bibliometric analysis of the *Pain* journal as a representation of progress and trends in the field, **142**, 9
Trend analysis
Pain research from 1975 to 2007: A categorical and bibliometric meta-trend analysis of every Research Paper published in the journal, *Pain*, **142**, 48
Trigeminal
NK1 receptor-expressing spinoparabrachial neurons trigger diffuse noxious inhibitory controls through lateral parabrachial activation in the male rat, **142**, 245
TRPV1
Tumour necrosis factor α mediates transient receptor potential vanilloid 1-dependent bilateral thermal hyperalgesia with distinct peripheral roles of interleukin-1β, protein kinase C and cyclooxygenase-2 signalling, **142**, 264
Venepuncture
A randomized clinical trial of a brief hypnosis intervention to control venepuncture-related pain of paediatric cancer patients, **142**, 255
Vitamin K injection
Maternal family history of hypertension attenuates neonatal pain response, **142**, 189
Work loss
Opioid therapy for nonspecific low back pain and the outcome of chronic work loss, **142**, 194
Worker's compensation
Opioid therapy for nonspecific low back pain and the outcome of chronic work loss, **142**, 194

PAIN 142 (2009) 294–296

PAIN

www.elsevier.com/locate/pain

Contents to Volume 142 (2009)

Numbers 1–2 – March 2009

OBITUARY

Vittorio Ventafridda (1927–2008)
K.M. Foley (USA) 1

EDITORIALS

Acute tolerance to opioids: Methodological, theoretical and clinical implications
G. Simonnet (France) 3

Once is not enough: Improved efficacy following repeated dosing with a TRPV1 antagonist
A.D. Wickenden, S.R. Chaplan (USA) 5

Measuring and distilling the impact of pain
M.D.K. Kroenke (USA) 7

A bibliometric analysis of the *Pain* journal as a representation of progress and trends in the field
R. Dubner (USA) 9

What causes low back pain?
M. Devor, M. Tal (Israel) 11

TOPICAL REVIEW

Mechanisms of analgesia by gabapentin and pregabalin – Calcium channel α_2-δ [$Ca_V\alpha_2$-δ] ligands
C.P. Taylor (USA) 13

RESEARCH PAPERS

No evidence for the development of acute tolerance to analgesic, respiratory depressant and sedative opioid effects in humans*
M.S. Angst, L.F. Chu, M.S. Tingle, S.L. Shafer, J.D. Clark, D.R. Drover (USA) 17

Repeated dosing of ABT-102, a potent and selective TRPV1 antagonist, enhances TRPV1-mediated analgesic activity in rodents, but attenuates antagonist-induced hyperthermia*
P. Honore, P. Chandran, G. Hernandez, D.M. Gauvin, J.P. Mikusa, C. Zhong, S.K. Joshi, J.R. Ghilardi, M.A. Sevcik, R.M. Fryer, J.A. Segreti, P.N. Banfor, K. Marsh, T. Neelands, E. Bayburt, J.F. Daanen, A. Gomtsyan, C.-H. Lee, M.E. Kort, R.M. Reilly, C.S. Surowy, P.R. Kym, P.W. Mantyh, J.P. Sullivan, M.F. Jarvis, C.R. Faltynek (USA) 27

What is "normal" disability? An investigation of disability in the general population*
R. Mewes, W. Rief, N. Stenzel, H. Glaesmer, A. Martin, E. Brähler (Germany) 36

Selective attention towards painful faces among chronic pain patients: Evidence from a modified version of the dot-probe
A. Khatibi, M. Dehghani, L. Sharpe, G.J.G. Asmundson, H. Pouretemad (Iran, Australia, Canada) 42

Pain research from 1975 to 2007: A categorical and bibliometric meta-trend analysis of every Research Paper published in the journal, *Pain**
J.S. Mogil, K. Simmonds, M.J. Simmonds (Canada) 48

Periganglionic inflammation elicits a distally radiating pain hypersensitivity by promoting COX-2 induction in the dorsal root ganglion*
F. Amaya, T.A. Samad, L. Barrett, D.C. Broom, C.J. Woolf (USA, Japan) 59

Opposite effects of opioid blockade on the blood pressure–pain relationship in depressed and non-depressed participants
A.K. Frew, P.D. Drummond (Australia) 68

Colon mustard oil instillation induced cross-organ reflex sensitization on the pelvic–urethra reflex activity in rats
H.-Y. Peng, G.-D. Chen, K.-C. Tung, C.-Y. Lai, M.-C. Hsien, C.-H. Chiu, H.-T. Lu, J.-M. Liao, S.-D. Lee, T.-B. Lin (Taiwan) 75

Painful tonic heat stimulation induces GABA accumulation in the prefrontal cortex in man
R. Kupers, E.R. Danielsen, H. Kehlet, R. Christensen, C. Thomsen (Denmark) 89

The analgesic actions of centrally administered celecoxib are mediated by endogenous opioids
R.M. Rezende, W.G.P. dos Reis, I.D.G. Duarte, P.P. Lima, Y.S. Bakhle, J.N. de Francischi (Brazil, UK) 94

The effect of attentional re-training and threat expectancy in response to acute pain
N. McGowan, L. Sharpe, K. Refshauge, M.K. Nicholas (Australia) 101

Corticofugal outputs facilitate acute, but inhibit chronic pain in rats
N. Wang, J.-Y. Wang, F. Luo (PR China) 108

doi:10.1016/S0304-3959(09)00124-9

Analgesic effects of p38 kinase inhibitor treatment on bone fracture healing
J.A. Cottrell, M. Meyenhofer, S. Medicherla, L. Higgins, J.P. O'Connor (USA) 116
Hyperalgesia induced by spinal and peripheral hydrogen sulfide: Evidence for involvement of $Ca_v3.2$ T-type calcium channels
Y. Maeda, Y. Aoki, F. Sekiguchi, M. Matsunami, T. Takahashi, H. Nishikawa, A. Kawabata (Japan) 127
Global gene expression analysis in the mouse brainstem after hyperalgesia induced by facial carrageenan injection – Evidence for a form of neurovascular coupling?
K.-W. Poh, N. Lutfun, J. Manikandan, W.-Y. Ong, J.-F. Yeo (Singapore) 133
The relationship between high catastrophizing children's facial display of pain and parental judgment of their child's pain
T. Vervoort, L. Goubert, G. Crombez (Belgium, The Netherlands) 142
Modulation of facial sensitivity by navigated rTMS in healthy subjects
T. Valmunen, A. Pertovaara, T. Taiminen, A. Virtanen, R. Parkkola, S.K. Jääskeläinen (Finland) 149
Evaluation of diagnostic accuracy of Colour Duplex Scanning, compared to electroneuromyography, diagnostic score and surgical outcomes, in Pudendal Neuralgia by entrapment: A prospective study on 96 patients
M. Mollo, E. Bautrant, A.-K. Rossi-Seignert, S. Collet, R. Boyer, D. Thiers-Bautrant (France) 159

LETTERS TO THE EDITOR

In response to: "A randomized trial of behavioral physical therapy interventions for acute and sub-acute low back pain, by George SZ et al. [Pain 2008;140:145-57]
J.C. Hill, N.E. Foster, C.J. Main, E.M. Hay (UK) 164
Response to Keele team's response letter
S.Z. George, M.E. Robinson (USA) 164
Letter to the editor of Pain about Gemma Ford and David Finn, Clinical correlates of stress-induced analgesia: Evidence from pharmacological study. Pain 2008;140:3–7
D. Le Bars, P. Carrive (France, Australia) 165
Comments on stress-induced analgesia. Response to the Letter to the Editor by Daniel Le Bars and Pascal Carrive on clinical correlates of stress-induced analgesia: Evidence from pharmacological studies
G.K. Ford, D.P. Finn (Ireland) 167

CORRIGENDUM

Corrigendum to "Development and validation of the current opioid misuse measure" [Pain 130 (2007) 144–56]
S.F. Butler, S.H. Budman, K.C. Fernandez, B. Houle, C. Benoit, N. Katz, R.N. Jamison (USA) 169

*An Editorial regarding this article can be found in this issue of *PAIN*

Number 3 – April 2009

EDITORIALS

Motor control adjustments in musculoskeletal pain and the implications for pain recurrence
L. Arendt-Nielsen, D. Falla (Denmark) 171
Prenatal maternal stress hormones, risk for hypertension, and the neonatal pain response: Comment on France et al., "Maternal family history of hypertension attenuates neonatal pain response"
J.A. McCubbin (USA) 173
Controlled release oxycodone – An evidence-based treatment for pain in acute herpes zoster
M. Haanpää (Finland) 175
Complex regional pain syndrome: A loss of inhibition?
F. Birklein, W.S. Kingery (Germany, USA) 177

TOPICAL REVIEW

Excessive opioid use and the development of chronic migraine
M.E. Bigal, R.B. Lipton (USA) 179

RESEARCH PAPERS

Why do some patients keep hurting their back? Evidence of ongoing back muscle dysfunction during remission from recurrent back pain*
D. MacDonald, G.L. Moseley, P.W. Hodges (Australia, UK) 183
Maternal family history of hypertension attenuates neonatal pain response*
C.R. France, A. Taddio, V.S. Shah, M.G. Pagé, J. Katz (USA, Canada) 189
Opioid therapy for nonspecific low back pain and the outcome of chronic work loss
E. Volinn, J.D. Fargo, P.G. Fine (USA) 194
Cost effectiveness of two rehabilitation programmes for neck and back pain patients: A seven year follow-up
I.B. Jensen, H. Busch, L. Bodin, J. Hagberg, Å. Nygren, G. Bergström (Sweden) 202
A randomized, placebo-controlled trial of oxycodone and of gabapentin for acute pain in herpes zoster*
R.H. Dworkin, R.L. Barbano, S.K. Tyring, R.F. Betts, M.P. McDermott, J. Pennella-Vaughan, G.J. Bennett, E. Berber, J.W. Gnann, C. Irvine, C. Kamp, K. Kieburtz, M.B. Max, K.E. Schmader (USA, Canada) 209

The association between ACE inhibitors and the complex regional pain syndrome: Suggestions for a neuro-inflammatory pathogenesis of CRPS*
M. de Mos, F.J.P.M. Huygen, B.H.Ch. Stricker, J.P. Dieleman, M.C.J.M. Sturkenboom (The Netherlands) 218
Involvement of voltage-gated sodium channels blockade in the analgesic effects of orphenadrine
J.-F. Desaphy, A. Dipalma, M. De Bellis, T. Costanza, C. Gaudioso, P. Delmas, A.L. George Jr., D.C. Camerino (Italy, France, USA) 225
A possible neural basis for stress-induced hyperalgesia
M.E. Martenson, J.S. Cetas, M.M. Heinricher (USA) 236
NK1 receptor-expressing spinoparabrachial neurons trigger diffuse noxious inhibitory controls through lateral parabrachial activation in the male rat
O. Lapirot, R. Chebbi, L. Monconduit, A. Artola, R. Dallel, P. Luccarini (France, Tunisia) 245
A randomized clinical trial of a brief hypnosis intervention to control venepuncture-related pain of paediatric cancer patients
C. Liossi, P. White, P. Hatira (UK, Greece) 255
Tumour necrosis factor α mediates transient receptor potential vanilloid 1-dependent bilateral thermal hyperalgesia with distinct peripheral roles of interleukin-1β, protein kinase C and cyclooxygenase-2 signalling
F.A. Russell, E.S. Fernandes, J.-P. Courade, J.E. Keeble, S.D. Brain (UK) 264
Upregulation of IL-6, IL-8 and CCL2 gene expression after acute inflammation: Correlation to clinical pain
X.-M. Wang, M. Hamza, T.-X. Wu, R.A. Dionne (USA, Egypt) 275

LETTER TO THE EDITOR

Comment on: Animal models and the prediction of efficacy in clinical trials of analgesic drugs: A critical appraisal and a call for uniform reporting standards
S.N. Quessy (USA) 284

Author Index to Volume 142 286

Subject Index to Volume 142 289

Contents to Volume 142 294

*An Editorial regarding this article can be found in this issue of *PAIN*®